

# Tracer Life Enhancer Liquid

A Liquid Mineral Chelate for Dairy, Beef,  
Poultry, Swine, Broilers, Horses.

## GUARANTEED ANALYSIS:

Magnesium.....	0.50%
Calcium, min.....	0.50%
Iron.....	330 ppm
Cobalt.....	18 ppm
Copper.....	130 ppm
Manganese.....	530 ppm
Zinc.....	1800 ppm

## Ingredients:

Calcium Amino Acid Chelate, Magnesium Amino Acid Chelate, Cobalt Amino Acid Chelate, Copper Amino Acid Chelate, Manganese Amino Acid Chelate, Zinc Amino Acid Chelate, Iron Amino Acid Chelate.

**WARNING: MINERALATE-LIFE ENHANCER LIQUID SHOULD BE USED IN ACCORDANCE WITH LABEL DIRECTIONS. THIS PRODUCT IS A CONCENTRATE. CAUTION: CONTAINS ADDED COPPER -DO NOT FEED TO SHEEP- DO NOT USE UNDILUTED - PROTECT FROM FREEZING**

**NET WT: 2.5 Gallon (320 fl oz.)**

620-865-2041

[www.tracerminerals.com](http://www.tracerminerals.com)  
Cimarron, KS 67835

[www.sales@tracerminerals.com](mailto:www.sales@tracerminerals.com)



Manufactured for: Tracer Minerals

## DIRECTIONS FOR USE:

### SWINE:

- Sows- Mix 1/2 oz of Life Enhancer Liquid per gallon of drinking water for 8 days starting 3 days prior to farrowing.
- Feeder pigs -Mix 1/2 fl. oz. of Life Enhancer Liquid per gallon of drinking water on arrival for 5-10 days.
- For individual Daily Dosing - 0-60# -1/2 fl. oz. - 15 ml, 60-100# - 1 fl. oz. - 30 ml, 100-250# - 1-2 oz. - 30-60 ml., Add to feed or water or drench oral use only.

### BEEF:

- Feeder Cattle or Stressed - Mix 1/2 fl. oz. of Life Enhancer Liquid per gallon of drinking water for 3-5 days.
- Calves - First day - Mix 1 fl. oz. of Life Enhancer Liquid in milk at each feeding. Second day thru 35 - Mix 1 fl. oz. of Life Enhancer Liquid in milk once/day

### POULTRY:

- Chicks - Mix 1/2 oz. of Life Enhancer Liquid per gallon of drinking water for first 10 days after hatching.
- Pullets - Mix 1/2 oz. of Life Enhancer Liquid per gallon of drinking water for first 10 days after entering laying house.

### DAIRY:

- Fresh cow - immediately after freshening - Mix 8 fl. oz. (1 cup) of Life Enhancer Liquid with 5 gallons of fresh, warm water and allow the cow to drink freely.
- Calves - First day - Mix 1 fl. oz. of Life Enhancer Liquid in milk at each feeding. Second day thru Day 35 - Mix 1 fl. oz. of Life Enhancer Liquid once/day.

### HORSES:

- Mix 1/2 oz. of Life Enhancer Liquid per gallon of drinking water per day. Maximum of 2 oz. per head per day.

### BROILERS:

- 30,000 Broilers - Set your medicator to dose 1/2 oz. of Life Enhancer Liquid per gallon of water.
- Day 1 - Use 1.25 gallon of Life Enhancer Liquid in medicator, will last approximately (5-6) days. Day 10 - Use 1 gallon of Life Enhancer Liquid in medicator, last approximately 3 days. Day 17 - Use 1 gallon of Life Enhancer Liquid in medicator until gone. Day 24 - Use 1 gallon of Life Enhancer Liquid in medicator until gone. Day 31 - Use 1 gallon of Life Enhancer Liquid in medicator until gone. Day 38 - Use 1 gallon of Life Enhancer Liquid in medicator until gone. For extended feeding period use 1 gallon per week until harvested.

**LIMITED WARRANTY:** Seller's and manufacture's obligation is limited to replacement of defective product. Neither seller nor manufacturer shall be liable for any injury, loss, or damage directly or consequently arising out of the mis-use or inability to use the product. All other warranties except in writing from the manufacturer, whether expressed or implied are hereby disclaimed.

